

Printing date 17.05.2024

Version number 6 (replaces version 5)

Revision: 11.08.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: SanitPro Daily Cleaner CA 20 C eco!perform

- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- · Application of the substance / the mixture Sanitary cleaner

1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier:

Alfred Kärcher SE & Co. KG Alfred-Kärcher-Str. 28-40 D - 71364 Winnenden Tel.: +49-7195-14-0

Kärcher (UK) Ltd. Kärcher House Brookhill Way Banbury Oxon OX16 3ED Great Britain Tel.: +44-1295-752-000

Internet: www.karcher.com

[•] Further information obtainable from:

Regulatory Affairs Tel.: +49-7195-14-0 productsafety.management.de@karcher.com

1.4 Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

SECTION 2: Hazards identification

(Contd. on page 2)

KÄRCHER


Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 17.05.2024

Version number 6 (replaces version 5)

Revision: 11.08.2023

Trade name: SanitPro Daily Cleaner CA 20 C eco!perform



SECTION 3: Composition/information on ingredients

[•] 3.2 Mixtures

· Description: Cleaning agent

CAS: 5949-29-1	citric acid ·H⊓O	≥10-<20%
EINECS: 201-069-1	♦ Eye Irrit. 2, H319; STOT SE 3, H335	
Index number: 607-750-00-3 Reg.nr.: 01-2119457026-42-0000		
	isotridecanolethoxylate + 8 EO	≥1-<3%
	📀 Eye Dam. 1, H318; 🚸 Acute Tox. 4, H302	_
	methanesulphonic acid Met. Corr.1, H290; Skin Corr. 1B, H314; Acute Tox. 4, H302; Acute Tox. 4, H312; STOT SE 3, H335	_ ≥1-<5%
	Propylene glycol substance with a Community workplace exposure limit	1-5%

KÄRCHER

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 17.05.2024

Version number 6 (replaces version 5)

Revision: 11.08.2023

Trade name: SanitPro Daily Cleaner CA 20 C eco!perform

(Contd. of page 2)

* Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- After inhalation Supply fresh air; consult doctor in case of complaints.
- After skin contact Generally the product does not irritate the skin.
- After eye contact Rinse opened eye for several minutes under running water.
- [•] After swallowing

Rinse out mouth and then drink plenty of water. If symptoms persist consult doctor.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

[•] 5.1 Extinguishing media

Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

• 5.2 Special hazards arising from the substance or mixture No further relevant information available.

- [•] 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

• Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- [•] 6.2 Environmental precautions:

Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. Do not allow to penetrate the ground/soil.

- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders). Ensure adequate ventilation.
- · 6.4 Reference to other sections

See Section 7 for information on safe handling See Section 8 for information on personal protection equipment.

(Contd. on page 4)



Printing date 17.05.2024

Version number 6 (replaces version 5)

Revision: 11.08.2023

Trade name: SanitPro Daily Cleaner CA 20 C eco!perform

(Contd. of page 3)

See Section 13 for disposal information.

SECTION 7: Handling and storage

• **7.1 Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

Avoid contact with eyes and skin.

Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

[·] Storage

· Requirements to be met by storerooms and receptacles: Store only in the original receptacle.

- · Information about storage in one common storage facility: Keep away from food, beverages and feed.
- Further information about storage conditions: Keep receptacle tightly sealed.

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

[•] 8.1 Control parameters

[•] Ingredients with limit values that require monitoring at the workplace:

57-55-6 Propylene glycol

WEL Long-term value: 474* 10** mg/m³, 150* ppm *total vapour and particulates **particulates

57-55-6 Propylene glycol

OralDNEL85 mg/kg×d (consumer)DermalDNEL213 mg/kg×d (consumer)InhalativeDNEL168 mg/m3 (employee)

50 mg/m3 (consumer)

· PNECs

57-55-6 Propylene glycol

PNEC 26 mg/l (marine water)

- 2000 mg/l (STP)
- [•] 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.
- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.

(Contd. on page 5)

KARCHER

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 17.05.2024

Version number 6 (replaces version 5)

Revision: 11.08.2023

Trade name: SanitPro Daily Cleaner CA 20 C eco!perform

(Contd. of page 4)

· Respiratory protection: Not necessary if room is well-ventilated. Hand protection



Protective gloves.

- · Material of gloves Butyl rubber, BR
- Penetration time of glove material
- The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
- · Eye/face protection



Tightly sealed goggles (EN 166)

SECTION 9: Physical and chemical properties

• 9.1 Information on basic physical and chemical pr	roperties	
	Fluid	
· Physical state · Colour:	Red	
· Odour:	fresh	
· Odour:		
	Not determined.	
• Melting point/freezing point:	undetermined	
· Boiling point or initial boiling point and boiling range	100 °C	
Flammability	Not applicable.	
· Lower and upper explosion limit		
Lower:	Not determined.	
Upper:	Not determined.	
Flash point:	Not applicable	
Auto-ignition temperature:	not applicable	
Decomposition temperature:	Not determined.	
· pH at 20 °C	2.1	
· pH-value 1 %:	3-4	
· Viscosity:		
· Kinematic viscosity	Not determined.	
· dynamic:	Not determined.	
· Solubility		
· Water:	Fully miscible	
 Partition coefficient n-octanol/water (log value) 	Not determined.	
· Vapour pressure:	Not determined.	
 Density and/or relative density 		
· Density at 20 °C:	1.068 g/cm³	
· Relative density	Not determined.	
· Vapour density	Not determined.	
· Relative gas density	Not determined.	
		(Contd. on page
		(, , , ,

according to Regulation (EC) No 1907/2006, Article 31

Printing date 17.05.2024

KÄRCHER

Version number 6 (replaces version 5)

Revision: 11.08.2023

Trade name: SanitPro Daily Cleaner CA 20 C eco!perform

	(Contd. of	page
Particle characteristics	Not applicable.	
9.2 Other information		
Appearance:		
Form:	Fluid	
Important information on protection of health and environment, and on safety.		
Ignition temperature:	Product is not selfigniting.	
Explosive properties:	Product lo not senigrituing. Product does not present an explosion hazard.	
Change in condition	Froduct does not present an explosion nazard.	
Evaporation rate	Not determined.	
Information with regard to physical hazard classes	i	
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit flammable gases		
in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	May be corrosive to metals.	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

• 10.1 Reactivity corresponds to 10.3

[•] 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

• 10.3 Possibility of hazardous reactions Reacts with light alloys to form hydrogen

. 10.4 Conditions to avoid No further relevant information available.

* 10.5 Incompatible materials: No further relevant information available.

* 10.6 Hazardous decomposition products: No dangerous decomposition products known

(Contd. on page 7)

according to Regulation (EC) No 1907/2006, Article 31

Printing date 17.05.2024

KARCHER

Version number 6 (replaces version 5)

Revision: 11.08.2023

Trade name: SanitPro Daily Cleaner CA 20 C eco!perform

(Contd. of page 6)

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

5949-29-1 citric acid ·H □O

Oral LD50 5400 mg/kg (mouse) (OECD 401)

69011-36-5 isotridecanolethoxylate + 8 EO

Oral ATE 500 mg/kg (Rat)

75-75-2 methanesulphonic acid

Oral LD50 649 mg/kg (Rat)

Dermal LD50 >1000 mg/kg (Rat)

57-55-6 Propylene glycol

Oral LD50 22000 mg/kg (Rat)

• Skin corrosion/irritation Causes skin irritation.

- * Serious eye damage/irritation Causes serious eye damage.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- * STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards

• Endocrine disrupting properties

128-37-0 Butylated hydroxytoluene

SECTION 12: Ecological information

12.1 Toxicity

· Aquatic to	xicity:
5949-29-1 c	itric acid ·H O
LC50/96 h	440-760 mg/l (Leuciscus idus) (OECD 203)
LC50/24 h	1535 mg/l (Daphnia magna)
LC50/168 h	425 mg/l (Scenedesmus quadricauda)
LC50/16 h	>10000 mg/l (Pseudomonas putida)
EC50/72 h	120 mg/l (Daphnia magna)
69011-36-5	isotridecanolethoxylate + 8 EO
LC50/96 h	>1-10 mg/l (Leuciscus idus)
EC50/48 h	>1-10 mg/l (Aquatic invertebrates)
	(Contd. on page 8)

– GB

List II



Printing date 17.05.2024

Version number 6 (replaces version 5)

Revision: 11.08.2023

Trade name: SanitPro Daily Cleaner CA 20 C eco!perform

(Contd. of page 7)

 EC50/72 h
 >1-10 mg/l (Aquatic plants)

 NOEC
 >1 mg/l /(21 d)

57-55-6 Propylene glycol

LC50/96 h 40613 mg/l (Oncorhynchus mykiss)

* 12.2 Persistence and degradability No further relevant information available.

[•] Degree of elimination:

69011-36-5 isotridecanolethoxylate + 8 EO

OECD 301B >60 % (28 d)

OECD 301E ≥90 % (28 d)

* 12.3 Bioaccumulative potential No further relevant information available.

* 12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

• **12.6 Endocrine disrupting properties** For information on endocrine disrupting properties see section 11.

12.7 Other adverse effects

- · Additional ecological information:
- · COD-value: 180.000 mg/l

· General notes:

The contained organic complexing agents reach a DOC-elimination grade of 80% (corresponding to No. 406 of Annex "Analytic and measuring methods") and with this meet the tightened demands of Annex 49 of the revised Direction on liqid waste.

The product does not contain organically bounded halogens (AOX-free).

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

[·] Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations.

(Contd. on page 9)

according to Regulation (EC) No 1907/2006, Article 31

Printing date 17.05.2024

KARCHER

Version number 6 (replaces version 5)

Revision: 11.08.2023

Trade name: SanitPro Daily Cleaner CA 20 C eco!perform

(Contd. of page 8)

· European waste catalogue

20 01 29* detergents containing hazardous substances

Uncleaned packaging:

Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

· Recommended cleansing agents: Water, if necessary together with cleaning agents.

SECTION 14: Transport information	
[·] 14.1 UN number or ID number [·] ADR, IMDG, IATA	UN3264
 14.2 UN proper shipping name ADR 	3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
· IMDG, IATA	(methanesulphonic acid) CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (methanesulphonic acid)
[·] 14.3 Transport hazard class(es)	
ADR	
· Class · Label	8 (C1) Corrosive substances. 8
· IMDG, IATA	
· Class · Label	8 Corrosive substances. 8
[·] 14.4 Packing group [·] ADR, IMDG, IATA	III
[·] 14.5 Environmental hazards:	Not applicable.
 14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: Segregation groups Stowage Category 	Warning: Corrosive substances. 80 F-A,S-B (SGG1) Acids A
	(Contd. on page 1



Printing date 17.05.2024

Version number 6 (replaces version 5)

Revision: 11.08.2023

Trade name: SanitPro Daily Cleaner CA 20 C eco!perform

	(Contd. of pag
· Stowage Code	SW2 Clear of living quarters.
· Segregation Code	SG36 Stow "separated from" SGG18-alkalis.
	SG49 Stow "separated from" SGG6-cyanides
¹ 14.7 Maritime transport in bulk accordin	g to IMO
instruments	Not applicable.
[·] Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· Transport category	3
· Tunnel restriction code	E
·IMDG	
· Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S
-	(METHANESULPHONIC ACID), 8, III

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

[•] Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

[•] National regulations

- · Information about limitation of use: Employment restrictions concerning juveniles must be observed.
- * 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. A product information sheet can be provided if requested.

· Relevant phrases

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

(Contd. on page 11)

- GB -

according to Regulation (EC) No 1907/2006, Article 31

Printing date 17.05.2024

Version number 6 (replaces version 5)

Revision: 11.08.2023

Trade name: SanitPro Daily Cleaner CA 20 C eco!perform

(Contd. of page 10) H318 Causes serious eye damage. H319 Causes serious eye irritation. H335 May cause respiratory irritation. Contact: **Regulatory Affairs** Tel.: +49-7195-14-0 productsafety.management.de@karcher.com Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH) PNEC: Predicted No-Effect Concentration (ÚK REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Met. Corr.1: Corrosive to metals - Category 1 Acute Tox. 4: Acute toxicity - Category 4 Skin Corr. 1B: Skin corrosion/irritation - Category 1B Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 ** Data compared to the previous version altered.

0.011-317.0 CA 20 C/7 2.691



GR