



ZIP WAX

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
Issue date: 28/02/2022 Version: 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : ZIP WAX
UFI : TF5N-13EF-1008-EAV1
Product code : SDS-125-J-2.0
Type of product : Detergent

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public
Main use category : Consumer use
Use of the substance/mixture : Automotive Care Products.

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Turtle Wax Europe Limited
GB: Alaska House, Atlantic Park, Dunnings Bridge Road, Liverpool, L30 4AB.
EU: Suite 401, The Capel Building, Mary's Abbey, Dublin 7, Ireland, D07 N4C6.
T GB & EU +44 (0) 845 600 3663
MSDS@turtlewax.com

1.4. Emergency telephone number

Emergency number : GB & EU +44 (0) 845 600 3663
Office hours only 08:30 - 17:00

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin corrosion/irritation, Category 2 H315
Serious eye damage/eye irritation, Category 2 H319

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Causes serious eye irritation. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07

Signal word (CLP) : Warning
Hazard statements (CLP) : H315 - Causes skin irritation.
H319 - Causes serious eye irritation.
Precautionary statements (CLP) : P102 - Keep out of reach of children.
P264 - Wash hands thoroughly after handling.
P280 - Wear protective gloves, eye protection.
P302+P352 - IF ON SKIN: Wash with plenty of water.

ZIP WAX

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| | |
|---------------------------|---|
| | P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| | P332+P313 - If skin irritation occurs: Get medical advice/attention. |
| | P337+P313 - If eye irritation persists: Get medical advice/attention. |
| EUH-statements | : EUH208 - Contains BENZISOTHIAZOLINONE. May produce an allergic reaction. |
| Child-resistant fastening | : Not applicable |
| Tactile warning | : Not applicable |

2.3. Other hazards

Other hazards which do not result in classification : None under normal conditions.

Contains no PBT/vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|---|--|--------|---|
| Sulphonic acid c14-16 alkane hydroxy and c14-16 alkene; sodium salts (=sodium c14-16 olefin sulphonate) | CAS-No.: 68439-57-6 EC-No.: 270-407-8 REACH-no: 01-2119513401-57 | 1 – 10 | Skin Irrit. 2, H315 Eye Dam. 1, H318 |
| Sodium dodecylbenzene sulfonate | CAS-No.: 25155-30-0 EC-No.: 246-680-4 REACH-no: 01-2120088038-51 | 1 – 10 | Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319 |
| Amides, C8-18 (even numbered) and C18-unsatd., N, N-bis(hydroxyethyl) | CAS-No.: 68155-07-7 EC-No.: 931-329-6 REACH-no: 01-2119490100-53 | 1 – 10 | Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411 |
| Benzisothiazolinone | CAS-No.: 2634-33-5 EC-No.: 220-120-9 EC Index-No.: 613-088-00-6 | < 0.1 | Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400 |
| Diphenyl ether substance with a Community workplace exposure limit | CAS-No.: 101-84-8 EC-No.: 202-981-2 REACH-no: 01-2119472545-33 | < 0.1 | Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 3, H412 |

Specific concentration limits:

| Name | Product identifier | Specific concentration limits |
|---|--|---|
| Sulphonic acid c14-16 alkane hydroxy and c14-16 alkene; sodium salts (=sodium c14-16 olefin sulphonate) | CAS-No.: 68439-57-6 EC-No.: 270-407-8 REACH-no: 01-2119513401-57 | (5 \leq C < 38) Eye Irrit. 2, H319 (5 \leq C < 38) Skin Irrit. 2, H315 (38 \leq C < 100) Eye Dam. 1, H318 |

ZIP WAX

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Specific concentration limits: | | |
|--------------------------------|---|-------------------------------------|
| Name | Product identifier | Specific concentration limits |
| Benzisothiazolinone | CAS-No.: 2634-33-5 EC-No.: 220-120-9 EC Index-No.: 613-088-00-6 | (0.05 ≤C < 100) Skin Sens. 1, H317 |

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|---------------------------------------|--|
| First-aid measures general | : If you feel unwell, seek medical advice (show the label where possible). |
| First-aid measures after inhalation | : Not expected to present a significant hazard under anticipated conditions of normal use. |
| First-aid measures after skin contact | : Wash skin with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. |
| First-aid measures after eye contact | : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. |
| First-aid measures after ingestion | : Rinse mouth. Do not induce vomiting. Get medical advice/attention if you feel unwell. |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|-------------------------------------|---|
| Symptoms/effects after inhalation | : Not expected to present a significant inhalation hazard under anticipated conditions of normal use. |
| Symptoms/effects after skin contact | : May cause an allergic skin reaction. |
| Symptoms/effects after eye contact | : Causes serious eye irritation. redness, itching, tears. |
| Symptoms/effects after ingestion | : Ingestion may cause nausea, vomiting and diarrhea. May cause irritation to the digestive tract. |

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

| | |
|------------------------------|---|
| Suitable extinguishing media | : Use extinguishing media appropriate for surrounding fire. |
|------------------------------|---|

5.2. Special hazards arising from the substance or mixture

| | |
|--|---------------------------------|
| Fire hazard | : The product is not flammable. |
| Explosion hazard | : Product is not explosive. |
| Reactivity in case of fire | : Not known. |
| Hazardous decomposition products in case of fire | : Toxic fumes may be released. |

5.3. Advice for firefighters

| | |
|--------------------------------|--|
| Precautionary measures fire | : Not applicable. |
| Firefighting instructions | : Use extinguishing media appropriate for surrounding fire. |
| Protection during firefighting | : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. |

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

| | |
|------------------|--|
| General measures | : Clear spills immediately. Ensure adequate ventilation. |
|------------------|--|

6.1.1. For non-emergency personnel

| | |
|----------------------|---|
| Protective equipment | : Use personal protective equipment as required. For further information refer to section 8: "Exposure controls/personal protection". |
| Emergency procedures | : Ventilate spillage area. Stop release. Do not touch or walk on the spilled product. Avoid contact with eyes. |

ZIP WAX

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

6.1.2. For emergency responders

- Protective equipment : Use personal protective equipment as required. For further information refer to section 8: "Exposure controls/personal protection".
- Emergency procedures : Ventilate area. Stop release. Do not touch or walk on the spilled product. Avoid contact with eyes.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

- For containment : Collect spillage.
- Methods for cleaning up : Wipe up with absorbent material (for example cloth). Place in a suitable container for disposal in accordance with the waste regulations (see Section 13). This material and its container must be disposed of in a safe way, and as per local legislation.
- Other information : Dispose in a safe manner in accordance with local/national regulations.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For disposal of solid materials or residues refer to section 13 : "Disposal considerations".

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Keep out of reach of children. Observe the label precautions. Use personal protective equipment as required. Avoid contact with eyes.
- Hygiene measures : Always wash hands after handling the product. Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Store in a well-ventilated place. Keep cool. Keep out of reach of children. Protect against frost. Keep container closed when not in use.
- Storage area : Store in a well-ventilated place. Keep out of frost.
- Packaging materials : Keep only in original container.

7.3. Specific end use(s)

Automotive Care Products.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

| Diphenyl ether (101-84-8) | |
|---|---------------------------------------|
| United Kingdom - Occupational Exposure Limits | |
| Local name | Diphenyl ether |
| WEL TWA (OEL TWA) [1] | 7.1 mg/m ³ vapour |
| WEL TWA (OEL TWA) [2] | 1 ppm vapour |
| WEL STEL (OEL STEL) | 14 mg/m ³ |
| WEL STEL (OEL STEL) [ppm] | 2 ppm |
| Regulatory reference | EH40/2005 (Fourth edition, 2020). HSE |

8.1.2. Recommended monitoring procedures

No additional information available

ZIP WAX

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure adequate ventilation.

8.2.2. Personal protection equipment

Personal protective equipment:

In case of splash hazard: safety glasses.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Safety glasses. Standard EN 166 - Personal eye-protection - specifications. Eye protection should only be necessary where liquid could be splashed or sprayed

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

In case of repeated or prolonged contact wear gloves. Standard EN 374 - Protective gloves against chemicals.

Other skin protection

Materials for protective clothing:

Wear suitable working clothes

8.2.2.3. Respiratory protection

Respiratory protection:

Not required for normal conditions of use

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Consumer exposure controls:

Read label before use. Observe the label precautions.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|-----------------|-----------------|
| Physical state | : Liquid |
| Colour | : Green. |
| Odour | : pleasant. |
| Odour threshold | : Not available |

ZIP WAX

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| | |
|---|-----------------------------|
| Melting point | : Not available |
| Freezing point | : Not available |
| Boiling point | : Not available |
| Flammability | : Not applicable |
| Explosive properties | : Product is not explosive. |
| Oxidising properties | : Non oxidizing. |
| Explosive limits | : Not available |
| Lower explosion limit | : Not available |
| Upper explosion limit | : Not available |
| Flash point | : Not available |
| Auto-ignition temperature | : Not available |
| Decomposition temperature | : Not available |
| pH | : 8.5 |
| Viscosity, kinematic | : Not available |
| Viscosity, dynamic | : 2.5 – 5.5 cP |
| Solubility | : Soluble in water. |
| Partition coefficient n-octanol/water (Log Kow) | : Not available |
| Vapour pressure | : Not available |
| Vapour pressure at 50 °C | : Not available |
| Density | : Not available |
| Relative density | : 1.025 |
| Relative vapour density at 20 °C | : Not available |
| Particle characteristics | : Not applicable |

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

| | |
|--|----------------|
| Relative evaporation rate (butylacetate=1) | : < 1 |
| VOC content | : 10.3 % |
| Refractive index | : 1.348 – 1.35 |

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

Acids. Oxidising agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

| | |
|-----------------------|------------------|
| Acute toxicity (oral) | : Not classified |
|-----------------------|------------------|

ZIP WAX

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Sulphonic acid c14-16 alkane hydroxy and c14-16 alkene; sodium salts (=sodium c14-16 olefin sulphonate) (68439-57-6)

| | |
|-----------------------------------|-------------------------|
| LD50 oral | 578 mg/kg bodyweight |
| LD50 dermal | > 2000 mg/kg bodyweight |
| LC50 Inhalation - Rat (Dust/Mist) | > 52000 mg/l |

Benzisothiazolinone (2634-33-5)

| | |
|-----------------------------------|-----------------------|
| LD50 oral | 1020 mg/kg bodyweight |
| LD50 dermal | 4115 mg/kg bodyweight |
| LC50 Inhalation - Rat (Dust/Mist) | 100 mg/l |

Diphenyl ether (101-84-8)

| | |
|---------------|--|
| LD50 oral rat | 2830 mg/kg bodyweight Animal: rat, Animal sex: female, 95% CL: 2,49 - 3,21 |
| LD50 oral | 2830 mg/kg bodyweight |

Sodium dodecylbenzene sulfonate (25155-30-0)

| | |
|-----------------------|--|
| LD50 oral | 1086 mg/kg bodyweight |
| LD50 dermal rat | > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) |
| LD50 dermal | > 1000 mg/kg bodyweight |
| LC50 Inhalation - Rat | 0.31 mg/l air Animal: rat, Animal sex: male |

Amides, C8-18 (even numbered) and C18-unsatd., N, N-bis(hydroxyethyl) (68155-07-7)

| | |
|--------------------|--|
| LD50 oral rat | > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity), Guideline: EU Method B.1 (Acute Toxicity (Oral)) |
| LD50 oral | > 2000 mg/kg bodyweight |
| LD50 dermal rabbit | > 2000 mg/kg bodyweight Animal: rabbit, Guideline: other:Modification of the techniques described in Appraisal of the Safety of Chemicals in Foods, Drugs & Cosmetics, compiled by staff of the Division of Pharmacology, Food and Drug Administration |
| LD50 dermal | > 2000 mg/kg bodyweight |

Skin corrosion/irritation : Causes skin irritation.
pH: 8.5
Serious eye damage/irritation : Causes serious eye irritation.
pH: 8.5
Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
STOT-single exposure : Not classified
STOT-repeated exposure : Not classified

Diphenyl ether (101-84-8)

| | |
|-------------------------------------|-----------------------------------|
| LOAEL (dermal, rat/rabbit, 90 days) | 100 mg/kg bodyweight Animal: rat |
| NOAEL (dermal, rat/rabbit, 90 days) | 1000 mg/kg bodyweight Animal: rat |

Sodium dodecylbenzene sulfonate (25155-30-0)

| | |
|-------------------------------------|---|
| LOAEL (oral, rat, 90 days) | 200 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) |
| LOAEL (dermal, rat/rabbit, 90 days) | 286 mg/kg bodyweight Animal: rat, Animal sex: male |

ZIP WAX

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Sodium dodecylbenzene sulfonate (25155-30-0)

| | |
|-------------------------------------|---|
| NOAEL (oral, rat, 90 days) | 100 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) |
| NOAEL (dermal, rat/rabbit, 90 days) | < 286 mg/kg bodyweight Animal: rat, Animal sex: male |

Amides, C8-18 (even numbered) and C18-unsatd., N, N-bis(hydroxyethyl) (68155-07-7)

| | |
|-------------------------------------|---|
| LOAEL (dermal, rat/rabbit, 90 days) | 50 mg/kg bodyweight Animal: rat |
| NOAEL (oral, rat, 90 days) | > 750 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity in Rodents) |

Aspiration hazard : Not classified

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects.
Ecology - water : Harmful to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short-term (acute) : Not classified
Hazardous to the aquatic environment, long-term (chronic) : Not classified

Sulphonic acid c14-16 alkane hydroxy and c14-16 alkene; sodium salts (=sodium c14-16 olefin sulphonate) (68439-57-6)

| | |
|------------------------------------|--------------------|
| LC50 - Fish [1] | > 1 mg/l |
| EC50 - Other aquatic organisms [1] | > 1 mg/l waterflea |

Benzisothiazolinone (2634-33-5)

| | |
|------------------------------------|---------------------|
| LC50 - Fish [1] | 2.18 mg/l |
| EC50 - Crustacea [1] | 0.99 mg/l |
| EC50 - Other aquatic organisms [1] | 2.94 mg/l waterflea |
| EC50 - Other aquatic organisms [2] | 0.11 mg/l |

Diphenyl ether (101-84-8)

| | |
|----------------------|---|
| LC50 - Fish [1] | 4.2 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) |
| EC50 - Crustacea [1] | 1.96 mg/l Test organisms (species): Daphnia magna |

Sodium dodecylbenzene sulfonate (25155-30-0)

| | |
|------------------------------------|---|
| LC50 - Fish [1] | 6 mg/l |
| EC50 - Other aquatic organisms [1] | 6.9 mg/l waterflea |
| EC50 - Other aquatic organisms [2] | > 50 mg/l |
| EC50 72h - Algae [1] | 65.4 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum) |
| EC50 72h - Algae [2] | 21 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum) |

Amides, C8-18 (even numbered) and C18-unsatd., N, N-bis(hydroxyethyl) (68155-07-7)

| | |
|-----------------|----------|
| LC50 - Fish [1] | 2.4 mg/l |
|-----------------|----------|

ZIP WAX

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

| Amides, C8-18 (even numbered) and C18-unsatd., N, N-bis(hydroxyethyl) (68155-07-7) | |
|---|---|
| EC50 - Crustacea [1] | ≈ 3.2 mg/l Test organisms (species): Daphnia magna |
| EC50 - Other aquatic organisms [1] | 3.2 mg/l waterflea |
| EC50 - Other aquatic organisms [2] | 18.6 mg/l |
| LOEC (chronic) | 0.24 mg/l Test organisms (species): Daphnia magna Duration: '21 d' |
| NOEC (chronic) | 0.07 mg/l Test organisms (species): Daphnia magna Duration: '21 d' |
| NOEC chronic fish | 0.32 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) Duration: '28 d' |

12.2. Persistence and degradability

| ZIP WAX | |
|-------------------------------|------------------|
| Persistence and degradability | Not established. |

12.3. Bioaccumulative potential

| ZIP WAX | |
|---------------------------|------------------|
| Bioaccumulative potential | Not established. |

| Benzisothiazolinone (2634-33-5) | |
|---|-----|
| Partition coefficient n-octanol/water (Log Pow) | 0.7 |

| Sodium dodecylbenzene sulfonate (25155-30-0) | |
|---|------|
| Partition coefficient n-octanol/water (Log Pow) | 1.96 |

| Amides, C8-18 (even numbered) and C18-unsatd., N, N-bis(hydroxyethyl) (68155-07-7) | |
|---|-----|
| Partition coefficient n-octanol/water (Log Pow) | 3.1 |

12.4. Mobility in soil

| ZIP WAX | |
|----------------|--------------------------------|
| Ecology - soil | Product adsorbs onto the soil. |

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Other adverse effects : None known
Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) : Disposal must be done according to official regulations.
Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations : Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

ZIP WAX

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

| ADR | IMDG | IATA | ADN | RID |
|---|----------------|----------------|----------------|----------------|
| 14.1. UN number or ID number | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.2. UN proper shipping name | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.3. Transport hazard class(es) | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.4. Packing group | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| 14.5. Environmental hazards | | | | |
| Not applicable | Not applicable | Not applicable | Not applicable | Not applicable |
| No supplementary information available | | | | |

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

VOC content : 10.3 %

ZIP WAX

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Allergenic fragrances > 0,01%:

BENZISOTHIAZOLINONE

Detergent Regulation (648/2004/EC): Labelling of contents:

| Component | % |
|-----------------------|-------|
| anionic surfactants | 5-15% |
| non-ionic surfactants | <5% |
| BENZISOTHIAZOLINONE | |
| perfumes | |

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on drug precursors)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Full text of H- and EUH-statements:

| | |
|---------------------|---|
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 |
| Aquatic Acute 1 | Hazardous to the aquatic environment – Acute Hazard, Category 1 |
| Aquatic Chronic 2 | Hazardous to the aquatic environment – Chronic Hazard, Category 2 |
| Aquatic Chronic 3 | Hazardous to the aquatic environment – Chronic Hazard, Category 3 |
| EUH208 | Contains BENZISOTHIAZOLINONE. May produce an allergic reaction. |
| Eye Dam. 1 | Serious eye damage/eye irritation, Category 1 |
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 |
| H302 | Harmful if swallowed. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H400 | Very toxic to aquatic life. |
| H411 | Toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 |
| Skin Sens. 1 | Skin sensitisation, Category 1 |

Safety Data Sheet (SDS), EU

Legal disclaimer: Turtle Wax Europe Limited. All rights reserved.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any particular conditions or process. Such information is, to the best of our knowledge and belief, accurate and reliable as of the date issued. No warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the responsibility of the user or processor to satisfy themselves as to the suitability of such information for their own particular circumstances, conditions or use. This includes transportation, storage and disposal which are outside of our control.